

Europäisches Patentamt

European Patent Office

Office européen des brevets



(11) EP 1 189 261 A3

(12)

EUROPEAN PATENT APPLICATION

(88) Date of publication A3: 14.01.2004 Bulletin 2004/03

(51) Int Cl.7: **H01L 21/00**, F27D 19/00, C23C 16/46

(43) Date of publication A2: 20.03.2002 Bulletin 2002/12

(21) Application number: 01203454.2

(22) Date of filing: 13.09.2001

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR
Designated Extension States:
AL LT LV MK RO SI

(30) Priority: 13.09.2000 JP 2000278526

(71) Applicant: Tokyo Electron Limited Tokyo-to (JP)

(72) Inventors:

 Wang, Wenling, c/o Tokyo Elec. Tohoku Ltd Tsukui-Gung, Kanagawa-Ken (JP)

Sakamoto, Koichi,
 c/o Tokyo Electron Tohoku Ltd.
 Tsukui-Gung, Kanagawa-Ken (JP)

 Suzuki, Fujio, c/o Tokyo Electron Tohoku Ltd. Tsukui-Gung, Kanagawa-Ken (JP)

:12

3.50

- Yasuhara, Moyuru, c/o Tokyo Electron Ltd Tokyo-to (JP)
- Shah, Sunii Los Aitos, CA 94022 (US)
- Pandey, Pradeep San José, CA 95120 (US)
- Erickson, Mark Sacramento, CA 95816 (US)
- (74) Representative: De Hoop, Eric Octrooibureau Vriesendorp & Gaade P.O. Box 266 2501 AW Den Haag (NL)

(54) Batch-type heat treatment apparatus and method for controlling it

(57)A reaction tube 2 comprises heaters 31 - 35, and temperature sensors Sin1 - Sin5, Sout1 - Sout5, and receives a wafer boat 23. A controller 100 estimates temperatures of wafers W and temperatures of the temperature sensors Sin1 - Sin5 in 5 zones in the reaction tube 2 corresponding to the heaters 31 - 35 by using the temperature sensors Sin1 - Sin5, Sout1 - Sout5 and electric powers of the heaters 31 - 35. Based on relationships between estimated temperatures of the temperature sensors Sin1 - Sin5 and really metered temperatures, functions f1 - f5 expressing the relationships between the estimated temperatures and the really metered temperatures are given for the respective zones. The functions f1 - f5 are substituted by the estimated wafer temperatures to correct the estimated wafer temperatures. Electric powers to be fed to the respective heaters 31 - 35 are respectively controlled so that the corrected wafer temperatures are converged to target temperature trajectories.




FIG. 2



EUROPEAN SEARCH REPORT

Application Number EP 01 20 3454

ategory	Citation of document with in of relevant pass	Relevant to daim	CLASSIFICATION OF THE APPLICATION (Int.CI.7)		
A,D	US 5 517 594 A (SHAH SUNIL C ET AL) 14 May 1996 (1996-05-14)				H01L21/00 F27D19/00 C23C16/46
	·		₩.		
					TECHNICAL FIELDS SEARCHED (Int.CI.7)
			. 8 - -	·	C23C F27D H01L C30B G05D

	The present search report has I		tion of the search	<u> </u>	
	THE HAGUE		ember 2003	Pat	Examinar terson, A
X : parl Y : parl doci	ATEGORY OF CITED DOCUMENTS icutarly relevant if taken alone icutarly relevant if combined with anothered with exame category prological background	Ther C	: theory or principle : earlier patent doc after the filing dat : document cited in : document cited to	underlying the sument, but publication the application of other reasons	invention shed on, or

2

DO01D. -FD -------

ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 01 20 3454

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

24-11-2003

. 19.5

.....

Patent document dted in search report		Publication date		Patent family member(s)	Publication date
US 5517594	Α	14-05-1996	AU EP WO	3955695 A 0789981 A1 9612386 A1	06-05-1996 20-08-1997 25-04-1996
· **					
				•	
. <u>14</u>					
sell to the sell of the sell o				•	
Politica La cue					
19 179					
**** *** **					

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82